



CALS TEST NETWORK

# AFCTN Test Report 94-022

AFCTB-ID  
93-056



## Technical Publication Transfer

Using:



Northrop Corporation's Data



MIL-D-28000A (IGES)  
MIL-M-28001A (SGML)  
MIL-R-28002A (Raster)  
MIL-D-28003 (CGM)



Quick Short Test Report



03 June 1993

DECLASSIFICATION STATEMENT A

Approved for public release  
Distribution Unlimited

DTIC QUALITY INSPECTED 3


Prepared for

Electronic Systems Center



19960822 166

# DISCLAIMER NOTICE



**THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.**

**AFCTN Test Report**  
**94-022**

**AFCTB-ID**  
**93-056**

---

**Technical Publication Transfer**  
**Using:**  
**Northrop Corporation's Data**

**MIL-D-28000A (IGES)**  
**MIL-M-28001A (SGML)**  
**MIL-R-28002A (Raster)**  
**MIL-D-28003 (CGM)**

**Quick Short Test Report**

**03 June 1993**

---

**Prepared By**  
Air Force CALS Test Bed  
Wright-Patterson AFB, OH 45433

**AFCTB Contact**  
Gary Lammers  
(513) 427-2295

**AFCTN Contact**  
Mel Lammers  
(513) 427-2295

**DTIC QUALITY INSPECTED 8**

## DISCLAIMER

This document was prepared as an account of the work sponsored by the Air Force. Neither the United States Government, the Air Force, nor any of their employees makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, nor represents that its use would not infringe on privately owned rights. Reference herein to any specific commercial products, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the Air Force. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the Air Force, and shall not be used for advertising or product endorsement purposes.

Available to the public from the  
National Technical Information Service  
U.S. Department of Commerce  
5285 Port Royal Road  
Springfield, VA 22161

This report and those involved in its preparation do not endorse any product, process, or company stated herein. Use of these means by anyone does not imply certification by the Air Force CALS Test Network (AFCTN).

---

---

## Contents

1.	Introduction.....	1
1.1.	Background.....	1
1.2.	Purpose.....	2
2.	Test Parameters.....	3
3.	1840A Analysis.....	6
3.1.	External Packaging.....	6
3.2.	Transmission Envelope.....	6
3.2.1.	Tape Formats.....	6
3.2.2.	Declaration and Header Fields.....	6
4.	IGES Analysis.....	7
5.	SGML Analysis.....	8
5.1.	Document One.....	8
5.2.	Document Two.....	9
6.	Raster Analysis.....	9
7.	CGM Analysis.....	10
8.	Conclusions and Recommendations.....	12
9.	Appendix A - Tapetool Report Logs.....	13
9.1.	Tape Catalog.....	13
9.2.	Tape Evaluation Log.....	14
9.3.	Tape File Set Validation Log.....	16
10.	Appendix B - Detailed IGES Analysis.....	18
10.1.	File D002Q004.....	18

---

10.1.1. Parser/Verifier Log.....	18
10.1.2. Output IGESView.....	22
10.1.3. Output Preview.....	23
11. Appendix C - Detailed SGML Analysis.....	24
11.1. Document One.....	24
11.1.1. Validator exl.....	24
11.1.2. Parser Log.....	27
11.1.3. Exoterica XGMLNormalizer Parser.....	28
11.1.4. Public Domain sgmls Log.....	28
11.2. Document Two.....	30
11.2.1. Validator exl.....	30
12. Appendix D - Detailed Raster Analysis.....	31
12.1. File D002R003.....	31
12.1.1. Output HiJaak for Windows.....	31
12.1.2. Output IGESView.....	32
13. Appendix E - Detailed CGM Analysis.....	33
13.1. File D002C002.....	33
13.1.1. Parser Log MetaCheck.....	33
13.1.2. Output Harvard Graphics.....	35
13.1.3. Output Cadleaf.....	36
13.1.4. Output cgm2draw/IslandDraw.....	37
13.1.5. Output IslandDraw.....	38

---

## **1. Introduction**

### **1.1 Background**

The Department of Defense (DoD) Air Force Continuous Acquisition and Life-Cycle Support (CALS) Test Network (AFCTN) is conducting tests of the military standard for the Automated Interchange of Technical Information, MIL-STD-1840A, and its companion suite of military specifications. The AFCTN is a DoD sponsored confederation of voluntary participants from industry and government managed by the Electronic Systems Center (ESC).

The primary objective of the AFCTN is to evaluate the effectiveness of the CALS standards for technical data interchange and to demonstrate the technical capabilities and operational suitability of those standards. Two general categories of tests are performed to evaluate the standards; formal and informal.

Formal tests are large and comprehensive, which follow a written test plan, require specific authorization from the DoD, and may take months to prepare, execute, and report.

Informal tests are quick and short, used by the AFCTN technical staff, to broaden the testing base. They include representative samples of the many systems and applications used by AFCTN participants. They also allow the AFCTN staff to gain feedback from many industry and government interpretations of the standards, to increase the base of participation in the CALS initiative, and respond to the many requests for help that come from participants. Participants take part voluntarily, benefit by receiving an evaluation of their latest implementation (interpretation) of the standards, interact with the AFCTN technical staff, gain experience using the standards, and develop increased confidence in them. The results of informal tests are reported in Quick Short Test Reports (QSTRs) that briefly summarize the standard(s) tested, the hardware and software used, the nature of the test, and the results.

## 1.2 Purpose

The purpose of the informal test, reported in this QSTR, was to analyze Northrop Corporation's interpretation and use of the CALS standards, in transferring technical publication data. Northrop used its CALS Technical Data Interchange System to produce data, in accordance with the standards, and delivered it to the AFCTN technical staff on a 9-track magnetic tape.



## 2. Test Parameters

Test Plan: AFCTB 93-056

Date of  
Evaluation: 03 June 1993

Evaluator: George Elwood  
Air Force CALS Test Bed  
DET 2 HQ ESC/AV-2P  
4027 Colonel Glenn Hwy  
Suite 300  
Dayton OH 45431-1672

Data  
Originator: John P Kent  
Northrop Corporation  
B-2 Division, M/S L591/GK  
8900 East Washington Blvd  
Pico Rivera CA 90660  
(310) 948-0624

Data  
Description: Technical Manual Test  
2 Document Declaration file  
2 Document Type Definition (DTD)  
1 Initial Graphics Exchange Standard  
(IGES) file  
2 Text/Standard Generalized Markup Language  
(SGML) file  
1 Raster file  
1 Computer Graphics Metafile (CGM) file

Data  
Source System: 1840

### HARDWARE

Unknown

### SOFTWARE

Unknown

---

---

IGES

HARDWARE  
Unknown  
SOFTWARE  
Unknown

Text/SGML

HARDWARE  
Unknown  
SOFTWARE  
Unknown

Raster

HARDWARE  
Unknown  
SOFTWARE  
Unknown

CGM

HARDWARE  
Unknown  
SOFTWARE  
Unknown

Evaluation Tools Used:

MIL-STD-1840A (TAPE)

SUN 3/280

AFCTN Tapetool v1.2.9 UNIX  
XSoft CAPS/CALS v40.4  
Texas Instruments (TI) Tapetool v1.0.1

PC 486/50

AFCTN Tapetool v1.2.9 DOS

MIL-D-28000 (IGES)

Sun SparcStation 2

ArborText iges2draw  
Carberry CADLeaf Plus v3.1  
IGES Data Analysis (IDA) Parser/Verifier v92  
IDA IGESView v3.05  
International TechneGroup Incorporated  
(ITI) IGES/Works v1.3  
Rosetta Technologies Preview v3.2

PC 486/50

AUTODESK AutoCAD 386 R11  
AUTODESK Micro Engineering Solutions

(MES) CheckMark v1.0

Cadkey Cadkey v5.02

Cadkey Cadkey v4.06

IDA IGESView Windows

Wiz Worx IGESPeek

**MIL-M-28001 (SGML)**

PC 486/50

Exoterica XGMLNormalizer v1.2e3.2

Exoterica Validator v2.0 ex1

McAfee & McAdam Sema Mark-it v2.3

Public Domain sgmls

**MIL-R-28002 (Raster)**

SUN SparcStation 2

ArborText g42tiff

Carberry CADLeaf Plus v3.1

AFCTN validg4

AFCTN calstb.475

IDA IGESView v3.0

Island Graphics IslandPaint v3.0

PC 486/50

IDA IGESView Windows

Inset Systems HiJaak v2.1

Inset Systems HiJaak Window v1.0

Corel Ventura Publisher

**MIL-D-28003 (CGM)**

SUN SparcStation 2

ArborText cgm2draw

Island Graphics IslandDraw v3.0

Carberry CADLeaf Plus v3.1

PC 486/50

Software Publishing Corporation

(SPC) Harvard Graphics v3.05

Inset Systems HiJaak v2.1

Inset Systems HiJaak v1.0 Windows

Micrografx Designer v3.1

Micrografx Charisma v2.1

Corel Ventura Publisher

**Standards**

**Tested:**

MIL-STD-1840A

MIL-D-28000A

MIL-M-28001A

MIL-R-28002A

MIL-D-28003

### **3. 1840A Analysis**

#### **3.1 External Packaging**

The tape arrived at the Air Force CALS Test Bed (AFCTB) enclosed in a box in accordance with ASTM D 3951. The exterior of the box was marked with a magnetic tape warning label, as required by MIL-STD-1840A, para. 5.3.1.3.

The tape was enclosed in a barrier bag as required by MIL-STD-1840A, para. 5.3.1.2. Inspection of the tape reel showed the label indicating the recording density, as required by MIL-STD-1840A, para. 5.3.1. Enclosed in the box was a packing list showing all files recorded on the tape.

#### **3.2 Transmission Envelope**

The 9-track tape received by the AFCTB contained MIL-STD-1840A files. The files were named per the standard conventions.

##### **3.2.1 Tape Formats**

The tape was run through the AFCTN *Tapetool* v1.2.9 utility. No errors were encountered while evaluating the contents of the tape labels.

The tape was read using XSoft's *CAPS read1840A* utility without any reported errors. The tape was read using TI's *Tapetool* v1.0.1.

The physical structure of the tape meets the CALS MIL-STD-1840A requirements.

##### **3.2.2 Declaration and Header Fields**

No errors were reported in the Document Declaration file and data file headers.

---

This portion of the tape meets the CALS MIL-STD-1840A requirements.

#### 4. IGES Analysis

The tape contained one IGES file. This file was evaluated using IDA's *Parser* and *Verifier* set for CALS Class I. No errors were reported by this utility.

The AFCTB has several tools for viewing IGES files. These tools are not used to generate a pass/fail but to report how commercially available software can handle the files. Many of these products are used in the development of technical publications and are good indicators of usability. The use of these products is not an endorsement nor an indication of CALS capability. All operations were performed using the default settings.

The file was converted using ArborText's *iges2draw* utility with no reported errors. The resulting file was read into Island Graphics' *IslandDraw* and displayed. The resulting partial image was displayed on the left side of the screen. The problem was traced to a negative X value for the lower left corner of the image. A switch was set in the *iges2draw* software which brought the image into view.

The file was converted using Cadkey's *ig2c* utility. The resulting file was read into Cadkey's *Cadkey* and displayed.

The file was read into Carberry's *CADLeaf* software without a reported error. It displayed a partial image, located on the left side of the screen.

The file was read using IDA's *IGESView* and *IGESView for Windows*, displayed and printed.

The file was read using ITI's *IGESWorks* without a reported error and displayed with no apparent errors.

The IGES file was converted using Rosetta Technologies' *Prepare* without a reported error. The resulting file was read into Rosetta Technologies' *Preview* and displayed with no apparent errors.

The included IGES file meets the CALS MIL-D-28000A specification.

## 5. SGML Analysis

The tape contained two documents. Both documents contain a DTD and Text file. The first DTD and Text file was "unique" while the second was "normal". Each document is discussed individually in this section.

The AFCTB has several parsers available for evaluating submitted DTD and Text files. These tools are not used to generate a pass/fail but to report how commercially available software can handle the files. These products are used in the development of technical publications and are good indicators of usability. The use of these products is not an endorsement nor an indication of CALS capability. All operations were performed using the default settings unless specified in the report. Changes to DTD or Text files required by each system are not documented in the report.

### 5.1 Document One

The Text and DTD files from the first document were tested using Exoterica's *XGMLNormalizer* parser. The initial pass through the DTD generated four errors. The errors relate to the included concrete definition. This definition file was replaced with one available in the AFCTB. No errors were reported in the DTD or Text files using the replacement file.

The Text and DTD files from the tape were evaluated using another parser available within the AFCTB. As submitted on the tape, the DTD would not parse.

The Text and DTD files from this document were evaluated using Exoterica's *Validator ex1* parser. Using the provided files, 106 errors and two warnings were generated. Most of these errors were traced to the submitted concrete definition. After the concrete definition was replace, no errors were reported.

The Text and DTD files from the tape were evaluated using the Public Domain *sgmls* parser with many reported errors.

The DTD and Text files from the first document do not meet the CALS MIL-M-28001A specification.

## 5.2 Document Two

The Text and DTD files from this document were evaluated using Exoterica's *Validator exl* parser with no reported errors.

The Text and DTD files from this document were tested using Exoterica's *XGMLNormalizer* parser with no reported errors.

The Text and DTD files from the tape were evaluated using McAfee & McAdam's *Sema Mark-it* parser with no reported errors.

The Text and DTD files from the tape were evaluated using the Public Domain *sgmls* parser with no reported errors.

The Text and DTD files from the second document meet the CALS MIL-M-28001A specification.

## 6. Raster Analysis

The tape contained one Raster file. This file was evaluated using the AFCTN *validg4* utility. This program reported that the file meets the CALS MIL-R-28002A specification.

The file was read into the AFCTN *calstb.475* viewing utility. No problems were noted although a slight angle was noted.

The AFCTB has several tools for viewing Raster files. These tools are not used to generate a pass/fail but to report how commercially available software can handle the files. Many of these products are used in the development of technical publications and are good indicators of usability. The use of these products is not an endorsement nor an indication of CALS capability. All operations were performed using the default settings.

---

The file was converted using ArborText's *g42tiff* utility without a reported error. The resulting file was read into Island Graphics' *IslandPaint* and displayed.

The Raster file was read into Carberry's *CADLeaf* software without a reported error and displayed.

The file was read into IDA's *IGESView* and *IGESView for Windows* without a reported error. The image was displayed using this utility without a problem.

The file was read into Inset Systems' *HiJaak for Windows*, displayed and printed without a reported error.

The Raster file was converted using Rosetta Technologies' *Prepare* without a reported error. The resulting file was read into Rosetta Technologies' *Preview* and displayed.

The Raster file meets the CALS MIL-R-28002A specification.

## 7. CGM Analysis

The tape contained one CGM file. The file was evaluated using a software available within the AFCTB with CALS options, which reported it as meeting the CALS MIL-D-28003 specification.

The AFCTB has several tools for viewing CGM files. These tools are not used to generate a pass/fail but to report how commercially available software can handle the files. Many of these products are used in the development of technical publications and are good indicators of usability. The use of these products is not an endorsement nor an indication of CALS capability. All operations were performed using the default settings.

The CGM file was converted using ArborText's *cgm2draw* utility without a reported error. The resulting file was read into Island Graphics' *IslandDraw* and displayed. Some text overflow was noted in the blocks.

The file was read into Carberry's *CADLeaf* software, displayed and printed. The text overflow noted in the *cgm2draw/IslandDraw* import was noted here. The image displayed in color.

---



An attempt to read into Inset Systems' *HiJaak for Windows* resulting in an error condition reported.

The file was imported directly into Island Graphics' *IslandDraw* without a reported error. The displayed image had problems in the restricted text area where the text overflowed the defined area. The elliptical arc, both open and closed, were not displayed correctly.

An attempt to imported the file into the Micrografx *Designer* resulted in nothing being displayed and no error messages. When the file was imported into the Micrografx *Charisma* an error message was generated.

According to Michael Harrison of Micrografx, "Micrografx is aware of the problems associated with reading these files and is working on a solution to be implemented in a future release of our products."

The file was imported into SPC's *Harvard Graphics v3.05* with line style, non-CGM entities, adjustment of points, and non-translated object error messages being generated. The resulting file was not usable.

An attempt to imported the file into Corel's *Ventura Publisher* resulted in a non-valid file structure message being generated.

An attempt to import the file into Corel's *CoralDraw* resulted in a error message being generated.

While the file was reported as meeting the CALS MIL-D-28003 specification, none of the commercial tools available in the AFCTB could import and display the image completely correct. None of the PC based tools could import the file in any usable form.

## 8. Conclusions and Recommendations

The physical structure and CALS headers of the tape were correct, and meets the CALS MIL-STD-1840A requirements.

The IGES file meets the CALS MIL-D-28000A specification.

Document one of the SGML files does not meet the CALS MIL-M-28001A specification. Document two of the SGML files meets the CALS specification.

The Raster file meets the CALS MIL-R-28002A specification.

The CGM file was reported as meeting the CALS MIL-D-28003 specification. However, none of the commercial CGM software tools, available in the AFCTB, could import the file and display it completely correct.

Because of the SGML errors in document one, the tape does not meet the CALS MIL-STD-1840A requirements.

## 9. Appendix A - Tapetool Report Logs

### 9.1 Tape Catalog

Air Force CALS Test Network Catalog Evaluation - Version 1.2; Release 9 (O)

Standards referenced:

MIL-STD-1840A (1987) - Automated Interchange of Technical Information

ANSI X3.27 (1987) - File Structure and Labeling of Magnetic Tapes  
for Information Interchange

ANSI X3.4 (1986) - Coded Character Sets - 7 Bit ASCII

Thu Jun 3 10:53:14 1993

MIL-STD-1840A File Catalog

File Set Directory: /cals/u129/Set010

Page: 1

File Name	File Type	Record Format/ Length	Block Length/Total	Selected/ Extracted
D001	Document Declaration	D/00260	02048/000001	Extracted
D002	Document Declaration	D/00260	02048/000001	Extracted
D001T001	Text	D/00260	02048/000001	Extracted
D001G002	DTD	D/00260	02048/000003	Extracted
D001H003	Output Specification	D/00260	02048/000016	Extracted
D002T001	Text	D/00260	02048/000002	Extracted
D002C002	CGM	F/00080	00800/000006	Extracted
D002R003	Raster	F/00128	02048/000017	Extracted
D002Q004	IGES	F/00080	02000/000012	Extracted
D002G005	DTD	D/00260	02048/000010	Extracted
D002H006	Output Specification	D/00260	02048/000061	Extracted

Catalog Process terminated normally.

## 9.2 Tape Evaluation Log

Air Force CALS Test Network Tape Evaluation - Version 1.2; Release 9 (0)

Standards referenced:

ANSI X3.27 (1987) - File Structure and Labeling of Magnetic Tapes  
for Information Interchange

ANSI X3.4 (1986) - Coded Character Sets - 7 Bit ASCII

Thu Jun 3 10:52:58 1993

ANSI Tape Import Log

Allocating tape drive /dev/rmt0...

/dev/rmt0 allocated.

VOL1ITDS01

CONTROLLER

4

Label Identifier: VOL1

Volume Identifier: ITDS01

Volume Accessibility:

Owner Identifier:

Label Standard Version: 4

HDR1D001

ITDS0100010001000100 93145 93145 000000 CONTROLLER

Label Identifier: HDR1

File Identifier: D001

File Set Identifier: ITDS01

File Section Number: 0001

File Sequence Number: 0001

Generation Number: 0001

Generation Version Number: 00

Creation Date: 93145

Expiration Date: 93145

File Accessibility:

Block Count: 000000

Implementation Identifier: CONTROLLER

HDR2D0204800260

00

Label Identifier: HDR2

Recording Format: D

Block Length: 02048

Record Length: 00260

Offset Length: 00

---

\*\*\*\*\* Tape Mark \*\*\*\*\*

Actual Block Size Found = 2048 Bytes.

Number of data blocks read = 1.

\*\*\*\*\* Tape Mark \*\*\*\*\*

EOF1D001                    ITDS0100010001000100 93145 93145 000001 CONTROLLER

Label Identifier: EOF1  
File Identifier: D001  
File Set Identifier: ITDS01  
File Section Number: 0001  
File Sequence Number: 0001  
Generation Number: 0001  
Generation Version Number: 00  
Creation Date: 93145  
Expiration Date: 93145  
File Accessibility:  
Block Count: 000001  
Implementation Identifier: CONTROLLER

EOF2D0204800260

00

Label Identifier: EOF2  
Recording Format: D  
Block Length: 02048  
Record Length: 00260  
Offset Length: 00

\*\*\*\*\* Tape Mark \*\*\*\*\*

<<<< PART OF LOG REMOVED HERE >>>>

\*\*\*\*\* Tape Mark \*\*\*\*\*

\*\*\*\*\* Tape Mark \*\*\*\*\*

##### End of Volume ITDS01 #####

##### End Of Tape File Set #####

Deallocating /dev/rmt0...

Tape Import Process terminated normally.

## 9.3 Tape File Set Validation Log

Air Force CALS Test Network File Set Evaluation - Version 1.2; Release 9 (0)

Standards referenced:

MIL-STD-1840A (1987) - Automated Interchange of Technical Information

Thu Jun 3 10:53:14 1993

MIL-STD-1840A File Set Evaluation Log

File Set: Set010

Found file: D001

Extracting Document Declaration Header Records...

Evaluating Document Declaration Header Records...

srcsys: John P. Kent, ITDS Chief Engineer, Northrop Corporation, B-2 Division, L591/GK  
E. Washington Blvd., Pico Rivera, CA 90660-3765 (310) 948-0624

srcdocid: STPRO25.2.4

srcrelid: NONE

chglvl: ORIGINAL

dteisu: 19930525

dstsys: Jeff Fisher, Integration Manager, USAF CALS Test Bed, HQ AFMC (I)/ENCT,  
TechneCenter, 4027 Col. Glenn Highway, Dayton, OH 45431-1601

dstdocid: STPRO25.2.4

dstrelid: NONE

dtetrm: 19930525

dlvacc: NONE

filcnt: T1, H1, G1

ttlcls: UNCLASSIFIED

doccls: UNCLASSIFIED

doctyp: DIRECTIVE

docttl: Test of error reports

<<<<< PART OF LOG REMOVED HERE >>>>>

Evaluating numbering scheme...

No errors were encountered during numbering scheme evaluation.

Numbering scheme evaluation complete.

Checking file count...

No errors were encountered during file count verification.

File Count verification complete.

No errors were encountered in Document D001.

---

Found file: D002

Extracting Document Declaration Header Records...

Evaluating Document Declaration Header Records...

srcsys: John P. Kent, ITDS Chief Engineer, Northrop Corporation, B-2 Division, L591/GK  
E. Washington Blvd., Pico Rivera, CA 90660-3765 (310) 948-0624

srcdocid: STPRO25.2.5

srcrelid: NONE

chglvl: ORIGINAL

dteisu: 19930525

dstsys: Jeff Fisher, Integration Manager, USAF CALS Test Bed, HQ AFMC (I)/ENCT,  
TechneCenter, 4027 Col. Glenn Highway, Dayton, OH 45431-1601

dstdocid: STPRO25.2.5

dstrelid: NONE

dtetrm: 19930525

dlvacc: NONE

filcnt: T1, H1, G1, C1, Q1, R1

ttlcls: UNCLASSIFIED

doccls: UNCLASSIFIED

doctyp: DIRECTIVE

doctl: Test of local directives

<<<<< PART OF LOG REMOVED HERE >>>>>

Saving Output Specification Header File: D002H006\_HDR

Saving Output Specification Data File: D002H006\_OS

Evaluating numbering scheme...

No errors were encountered during numbering scheme evaluation.

Numbering scheme evaluation complete.

Checking file count...

No errors were encountered during file count verification.

File Count verification complete.

No errors were encountered in Document D002.

No errors were encountered in this File Set.

MIL-STD-1840A File Set Evaluation Complete.

---

## 10. Appendix B - Detailed IGES Analysis

### 10.1 File D002Q004

#### 10.1.1 Parser/Verifier Log

```
*** IGES DATA FILE ANALYSIS ***  
***      MARCH 1992      ***  
***   IGES Data Analysis   ***  
***   (708) 449-3430      ***
```

Input file is /novell/9356/q204.igs

Checking conformance to CALS Class I (MIL-D-28000A 2/10/92)

Today is June 3, 1993 11:46 AM

#### \*\*\* File and Product Name Information \*\*\*

```
File name from sender      = 'Q004.iges'  
File creation Date.Time    = '930525.150907'  
Model change Date.Time     = ''  
Author                     = 'tom'  
Department                  = 'GRAPHICS'  
Product name from sender   = 'Q004.iges'  
Destination product name   = 'Q004.iges'
```

#### \*\*\* Parameter Delimiters \*\*\*

```
Delimiter = ','  
Terminator = ';' 
```

#### \*\*\* Originating System Data \*\*\*

```
System ID          = 'ITDS CONVERTER: GEF_IGES'  
Preprocessor version = '1.0'  
Specification version = 6 (IGES 4.0)
```

#### \*\*\* Precision levels \*\*\*

```
Integer bits = 32  
Floating point - Exponent = 38 Mantissa = 6  
Double precision - Exponent = 308 Mantissa = 15
```

#### \*\*\* Global Model Data \*\*\*



Model scale = 1.0000E+00  
Unit flag = 1  
Units = 'IN'  
Line weights = 3  
Maximum line thickness = 1.000000E-02  
Minimum line thickness = 3.333333E-03  
Granularity = 1.000000E-03  
Maximum coordinate = 2.954101E+00

Drafting standard applicable to original data is not specified.

\*\*\* Status Flag Summary \*\*\*

Blank status:	Visible	41
	Blanked	0
Independence:	Independent	39
	Physically Subordinate	0
	Logically Subordinate	2
	Totally Subordinate	0
Entity use:	Geometry	39
	Annotation	2
	Definition	0
	Other	0
	Logical/Positional	0
	2D parametric	0
	Not Specified	0
Hierarchy:	Structure DE applies	0
	Subordinate DE applies	41
	Hierarchy property applies	0
	Not Specified	0

\*\*\* Entity Occurrence Counts \*\*\*

Entity	Form	Level	Count	Type
-----	-----	-----	-----	-----
106	11	0	24	Copious data - Piecewise planar, linear string(2D path)
106	63	0	8	Simple closed planar curve
110	0	0	6	Line
404	0	0	1	Drawing
406	16	0	1	Property - Drawing size
410	0	0	1	View - Orthographic parallel

\*\*\* Entity Count by Level \*\*\*

Level	Count
0	41

\*\*\* Labeling Information \*\*\*

0% of the entities are labeled.

Unlabeled	41
-----------	----

\*\*\* Line Fonts Used in Data \*\*\*

100	102	104	106	108	110	112	114	
-	-	-	-	-	-	-	-	Undefined
-	-	-	32	-	6	-	-	Solid
-	-	-	-	-	-	-	-	Dashed
-	-	-	-	-	-	-	-	Phantom
-	-	-	-	-	-	-	-	Center-line
-	-	-	-	-	-	-	-	Dotted
-	-	-	-	-	-	-	-	User defined

<<<<< PART OF LOG REMOVED HERE >>>>>

\*\*\* Line Widths Used in Data \*\*\*

Weight	Count	Width
Defaulted	31	(0.0033)
2	10	(0.0067)

\*\*\* Colors Used in Data \*\*\*

Defaulted	3
Red	8
Green	30

\*\*\*\*\*  
\*\*\*\*\* ENTITY ANALYSIS \*\*\*\*\*  
\*\*\*\*\*

\*\*\* Entity type: 106

\*\*\* Entity type: 110

-- 6 lines averaging 1.362447E-01 units --

\*\*\* Entity type: 404

Drawing at D 5 contains 1 views.

Drawing at D 5 contains 0 annotation entities.

\*\*\* Entity type: 406

\*\*\* Entity type: 410

Scale of view at D 1 is 1.000000E+00.

Orthographic View entity at D 1 has 0 clipping planes specified.

XMIN = Not Set XMAX = Not Set

YMIN = Not Set YMAX = Not Set

ZMIN = Not Set ZMAX = Not Set

\*\*\* Message Summary \*\*\*

\*\*\* Error Summary \*\*\*

0 fatal errors

0 severe errors

0 errors

0 warnings


0 cautions

0 nitpicks


0 notes

\*\*\* End of Analysis of /novell/9356/q204.igs \*\*\*

### 10.1.2 Output IGESView



### 10.1.3 Output Preview



---

## 11. Appendix C - Detailed SGML Analysis

### 11.1 Document One

#### 11.1.1 Validator exl

```
<!-- Entity has no name, system id or public id in formal file -->.
<!-- **Warning** in "i:\9356\d001g002.", line 30:
  A base character set in the concrete syntax part of an SGML Declaration is
  not used in the document character set part of the SGML Declaration.
  The public identifier of the base character set is "ANSI X3.4-1986//CHARSET
  American Standard Code for Information Interchange (ASCII)//ESC 2/8 4/2".
      Information Interchange (ASCII)//ESC 2/8 4/2"
      /\
-->
<!-- **Error** in "i:\9356\d001g002.", line 32:
  The meaning of each significant base character must be assigned to one, and
  only one, syntax character in the SGML Declaration.
  The first unassigned or multiply assigned character is "0".
  FUNCTION      RE              13
  /\
-->
<!-- **Error** in "i:\9356\d001g002.", line 32:
  The meaning of each significant base character must be assigned to one, and
  only one, syntax character in the SGML Declaration.
  The first unassigned or multiply assigned character is "1".
  FUNCTION      RE              13
  /\
-->
      <<<<< PART OF LOG REMOVED HERE >>>>>

<!-- **Error** in "i:\9356\d001g002.", line 33:
  A function character must not be assigned to a syntax reference character
  that is not mapped to a document character.
  The function character is character number 10.
      RS              10
      ^^
-->
<!-- **Error** in "i:\9356\d001g002.", line 34:
  A function character must not be assigned to a syntax reference character
  that is not mapped to a document character.
  The function character is character number 32.
      SPACE          32
```

---

```

-->
<!-- **Error** in "i:\9356\d001g002.", line 35:
A function character must not be assigned to a syntax reference character
that is not mapped to a document character.
The function character is character number 9.
      TAB      SEPCHAR      9
                        ^
-->
<!-- **Error** in "i:\9356\d001g002.", line 38:
A character in a parameter literal in the naming rules, general delimiter or
short reference delimiter parameter of the SGML Declaration must be assigned
to a unique character in the document character set.
The unassigned or multiply assigned character is "-".
      LCNMCHAR      "-."
                        ^^
-->
<!-- **Error** in "i:\9356\d001g002.", line 39:
A character in a parameter literal in the naming rules, general delimiter or
short reference delimiter parameter of the SGML Declaration must be assigned
to a unique character in the document character set.
The unassigned or multiply assigned character is "-".
      UCNMCHAR      "-."
                        ^^
-->
<!-- **Error** in "i:\9356\d001g002.", line 43:
A reference short reference delimiter, used because SHORTREF SGMLREF is
specified in the SGML Declaration, must not contain one or more that are not
mapped to unique document characters.
The short reference delimiter is "  ".
      SHORTREF      SGMLREF
                  /\
-->

      <<<<< PART OF LOG REMOVED HERE >>>>>

<!-- **Error** in "i:\9356\d001g002.", line 89:
Recognized a delimiter or data not allowed in the current context.
The unrecognized text is "  viewdef      -".
<!ELEMENT viewdef - o (viewport+)>
      ^^^^^^^^^^
-->
<!-- **Error** in "i:\9356\d001g002.", line 90:
Recognized a delimiter or data not allowed in the current context.
The unrecognized text is "  viewport      -".
<!ELEMENT viewport - o EMPTY >
      ^^^^^^^^^^

```

---

```
-->
<!-- **Error** in "i:\9356\d001g002.", line 91:
  Recognized a delimiter or data not allowed in the current context.
  The unrecognized text is "   viewport".
  <!ATTLIST viewport
    ~~~~~~

-->
<!-- **Error** in "i:\9356\d001g002.", line 108:
  Recognized a delimiter or data not allowed in the current context.
  The unrecognized text is "           viewport".
    viewport      IDREFS      #IMPLIED>
    ~~~~~~

-->
<!-- **Error** in "i:\9356\d001g002.", line 114:
  Recognized a delimiter or data not allowed in the current context.
  The unrecognized text is "           viewport".
    viewport      IDREFS      #IMPLIED>
    ~~~~~~

-->
<!-- **Error** in "i:\9356\d001g002.", line 122:
  Recognized a delimiter or data not allowed in the current context.
  The unrecognized text is "           viewport".
    viewport      IDREFS      #IMPLIED>
    ~~~~~~

-->
<!-- **Error** in "i:\9356\d001g002.", line 122:
  Recognized a delimiter or data not allowed in the current context.
  The unrecognized text is "           viewport".
    viewport      IDREFS      #IMPLIED>
    ~~~~~~

-->
<!-- **Warning** in "i:\9356\d001g002.", line 128:
  An element name specified in a USEMAP declaration, ATTLIST declaration or
  content model is not defined by an ELEMENT declaration.
  The element name is "VIEWDEF".

-->
<!-- **Error** in "i:\9356\d001g002.", line 129:
  The document instance must consist of at least one tag or data character.
  The following element can start: "DOC".

-->
<!-- **Error** in "i:\9356\d001g002.", line 129:
  The start tag of an element that has one or more required attributes must
  not be omitted.
  Attribute "FOSICITE" of element "DOC" is REQUIRED.

-->
<!-- **Error** in "i:\9356\d001g002.", line 129:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "FRONT".

-->
<!-- **Error** in "i:\9356\d001g002.", line 129:
  An element must not end before its content model is completely satisfied.
  The element with unsatisfied content is "FRONT".
```

---



```
-->
<!-- **Error** in "i:\9356\d001g002.", line 129:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "BODY".
-->
<!-- **Error** in "i:\9356\d001g002.", line 129:
  A start tag with a start tag minimization of minus ("-") must not be
  omitted.
  The element is "CLOSING".
-->
<!-- **Error** in "i:\9356\d001g002.", line 129:
  An end tag that has been declared inomissible ("-") must not be omitted.
  The element is "DOC".
-->
<!-- 106 errors and 2 warnings reported. -->
```

## 11.1.2 Parser Log

SGML Document Type Definition Parser  
An SGML System Conforming to  
International Standard ISO 8879  
Standard Generalized Markup Language

Log file: '9356-1.LOG'  
SDO File: 'ctndocl.sdo'  
Namecase General is yes.  
Namecase Entity is no.  
Parsing DTD file: '9356-1.dtd'

<<<< PART OF LOG FILE REMOVED HERE >>>>

DTD0169: GRPCNT of 50 is greater than 48.  
In declaration: '<!DOCTYPE'. in line 104 in file '9354-1.dtd'  
DTD0169: GRPCNT of 51 is greater than 48.  
In declaration: '<!DOCTYPE'. in line 104 in file '9354-1.dtd'

<<<< PART OF LOG FILE REMOVED HERE >>>>

DTD does not conform to ISO 8879 standard due to these errors: Reference quantity set  
count: 32 Uncorrectable syntax error count: 1 .DTO file not created due to parsing  
errors.

Program status code: 5.

---

### 11.1.3 Exoterica XGMLNormalizer Parser

```
C:\XGML\XGMLNORM.EXE --  
Error on line 32 in file 9356-1.sgm:  
Error in the SGML Declaration.  
The last text seen was "13".  
Attempt to use an undefined character for function RE.
```

```
C:\XGML\XGMLNORM.EXE --  
Error on line 33 in file 9356-1.sgm:  
Error in the SGML Declaration.  
The last text seen was "10".  
Attempt to use an undefined character for function RS.
```

```
C:\XGML\XGMLNORM.EXE --  
Error on line 34 in file 9356-1.sgm:  
Error in the SGML Declaration.  
The last text seen was "32".  
Attempt to use an undefined character for function SPACE.
```

```
C:\XGML\XGMLNORM.EXE --  
Error on line 35 in file 9356-1.sgm:  
Error in the SGML Declaration.  
The last text seen was "9".  
Attempt to use an undefined character for added function TAB.  
<!-- The SGML Declaration is in error. -->
```

### 11.1.4 Public Domain sgmls Log

```
sgmls: SGML error at 9356-1.sgm, line 1 at "L":  
      SGML markup declaration not permitted here; declaration ended  
sgmls: SGML error at 9356-1.sgm, line 1 at " ":  
      No DOCTYPE declaration; document type is unknown  
sgmls: SGML error at 9356-1.sgm, line 57 at "E":  
      DOCTYPE markup declaration not permitted here; declaration ended  
      Element structure: *DOCTYPE  
sgmls: SGML error at 9356-1.sgm, line 60 at "N":  
      NOTATION markup declaration not permitted here; declaration ended  
      Element structure: *DOCTYPE
```

<<<<< PART OF LOG REMOVED HERE >>>>>

```
sgmls: SGML error at 9356-1.sgm, line 132 at "b":
```

Possible attributes treated as data because none were defined  
Element structure: \*DOCTYPE  
sgmls: SGML error at 9356-1.sgm, line 132 at " ":  
Undefined DOC start-tag GI ignored; not used in DTD  
Element structure: \*DOCTYPE  
sgmls: SGML error at 9356-1.sgm, line 134 at ">":  
Undefined FRONT start-tag GI ignored; not used in DTD  
Element structure: \*DOCTYPE  
sgmls: SGML error at 9356-1.sgm, line 134 at ">":  
Undefined All start-tag GI ignored; not used in DTD  
Element structure: \*DOCTYPE

<<<< PART OF LOG REMOVED HERE >>>>

sgmls: SGML error at 9356-1.sgm, line 141 at ">":  
No element declaration for DOC end-tag GI; end-tag ignored  
Element structure: \*DOCTYPE  
TOTALCAP 32/200000  
ELEMCAP 32/200000

## 11.2 Document Two

### 11.2.1 Validator exl

```
<!-- Entity has no name, system id or public id in formal file -->.
<!-- **Warning**:
  An element with mixed content should permit data characters ("PCDATA")
  everywhere.
  The element being declared is "ENTRY".
  (((#PCDATA|xref|change|emphasis|hcp|hci|ocp|
      ^^^^^^
-->
<!-- **Warning**:
  An element with mixed content should permit data characters ("PCDATA")
  everywhere.
  The element being declared is "NOTICE".
  (((#PCDATA|xref|change|emphasis|hcp|hci|ocp|
      ^^^^^^
-->
<!-- **Warning** in "9356-2.sgm", line 422:
  An element with mixed content should permit data characters ("PCDATA")
  everywhere.
  The element being declared is "RESULT".
  <!ELEMENT result      - o (%text;,,faultcode?)>
                                     /\
-->
<!-- **Warning** in "9356-2.sgm", line 622:
  There is no element with an IDREF or IDREFS attribute value equal to a
  specified ID value.
  The unreferenced ID attribute value is "X0".
-->
<!-- 4 warnings reported. -->
```

## 12. Appendix D - Detailed Raster Analysis

### 12.1 File D002R003

#### 12.1.1 Output HiJaak for Windows

U.S. ARMY MATERIEL COMMAND U.S. ARMY MISSILE COMMAND REDSTONE ARSENAL, ALABAMA										PARTS LIST		PL 10677287
TITLE OSCILLATOR VOLTAGE CONTROLLED-CMD-ANALIS										DATE 16 NOV 70	SHEET 30	FORM 100-7
ITEM NO.	PART NO.	QUANTITY	UNIT	DESCRIPTION	REMARKS	DATE	BY	CHKD	REMARKS			
1	10181751-207	1	RESISTOR	10181751-207								
2	10181751-208	1	RESISTOR	10181751-208								
3	10181751-209	1	RESISTOR	10181751-209								
4	10181751-210	1	RESISTOR	10181751-210								
5	10181751-211	1	RESISTOR	10181751-211								
6	10181751-212	1	RESISTOR	10181751-212								
7	10181751-213	1	RESISTOR	10181751-213								
8	10181751-214	1	RESISTOR	10181751-214								
9	10181751-215	1	RESISTOR	10181751-215								
10	10181751-216	1	RESISTOR	10181751-216								
11	10181751-217	1	RESISTOR	10181751-217								
12	10181751-218	1	RESISTOR	10181751-218								
13	10181751-219	1	RESISTOR	10181751-219								
14	10181751-220	1	RESISTOR	10181751-220								
15	10181751-221	1	RESISTOR	10181751-221								
16	10181751-222	1	RESISTOR	10181751-222								
17	10181751-223	1	RESISTOR	10181751-223								
18	10181751-224	1	RESISTOR	10181751-224								
19	10181751-225	1	RESISTOR	10181751-225								
20	10181751-226	1	RESISTOR	10181751-226								
21	10181751-227	1	RESISTOR	10181751-227								
22	10181751-228	1	RESISTOR	10181751-228								
23	10181751-229	1	RESISTOR	10181751-229								
24	10181751-230	1	RESISTOR	10181751-230								
25	10181751-231	1	RESISTOR	10181751-231								
26	10181751-232	1	RESISTOR	10181751-232								
27	10181751-233	1	RESISTOR	10181751-233								
28	10181751-234	1	RESISTOR	10181751-234								
29	10181751-235	1	RESISTOR	10181751-235								
30	10181751-236	1	RESISTOR	10181751-236								
31	10181751-237	1	RESISTOR	10181751-237								
32	10181751-238	1	RESISTOR	10181751-238								
33	10181751-239	1	RESISTOR	10181751-239								
34	10181751-240	1	RESISTOR	10181751-240								
35	10181751-241	1	RESISTOR	10181751-241								
36	10181751-242	1	RESISTOR	10181751-242								
37	10181751-243	1	RESISTOR	10181751-243								
38	10181751-244	1	RESISTOR	10181751-244								
39	10181751-245	1	RESISTOR	10181751-245								
40	10181751-246	1	RESISTOR	10181751-246								
41	10181751-247	1	RESISTOR	10181751-247								
42	10181751-248	1	RESISTOR	10181751-248								
43	10181751-249	1	RESISTOR	10181751-249								
44	10181751-250	1	RESISTOR	10181751-250								
45	10181751-251	1	RESISTOR	10181751-251								
46	10181751-252	1	RESISTOR	10181751-252								
47	10181751-253	1	RESISTOR	10181751-253								
48	10181751-254	1	RESISTOR	10181751-254								
49	10181751-255	1	RESISTOR	10181751-255								
50	10181751-256	1	RESISTOR	10181751-256								
51	10181751-257	1	RESISTOR	10181751-257								
52	10181751-258	1	RESISTOR	10181751-258								
53	10181751-259	1	RESISTOR	10181751-259								
54	10181751-260	1	RESISTOR	10181751-260								
55	10181751-261	1	RESISTOR	10181751-261								
56	10181751-262	1	RESISTOR	10181751-262								
57	10181751-263	1	RESISTOR	10181751-263								
58	10181751-264	1	RESISTOR	10181751-264								
59	10181751-265	1	RESISTOR	10181751-265								
60	10181751-266	1	RESISTOR	10181751-266								
61	10181751-267	1	RESISTOR	10181751-267								
62	10181751-268	1	RESISTOR	10181751-268								
63	10181751-269	1	RESISTOR	10181751-269								
64	10181751-270	1	RESISTOR	10181751-270								
65	10181751-271	1	RESISTOR	10181751-271								
66	10181751-272	1	RESISTOR	10181751-272								
67	10181751-273	1	RESISTOR	10181751-273								
68	10181751-274	1	RESISTOR	10181751-274								
69	10181751-275	1	RESISTOR	10181751-275								
70	10181751-276	1	RESISTOR	10181751-276								
71	10181751-277	1	RESISTOR	10181751-277								
72	10181751-278	1	RESISTOR	10181751-278								
73	10181751-279	1	RESISTOR	10181751-279								
74	10181751-280	1	RESISTOR	10181751-280								
75	10181751-281	1	RESISTOR	10181751-281								
76	10181751-282	1	RESISTOR	10181751-282								
77	10181751-283	1	RESISTOR	10181751-283								
78	10181751-284	1	RESISTOR	10181751-284								
79	10181751-285	1	RESISTOR	10181751-285								
80	10181751-286	1	RESISTOR	10181751-286								
81	10181751-287	1	RESISTOR	10181751-287								
82	10181751-288	1	RESISTOR	10181751-288								
83	10181751-289	1	RESISTOR	10181751-289								
84	10181751-290	1	RESISTOR	10181751-290								
85	10181751-291	1	RESISTOR	10181751-291								
86	10181751-292	1	RESISTOR	10181751-292								
87	10181751-293	1	RESISTOR	10181751-293								
88	10181751-294	1	RESISTOR	10181751-294								
89	10181751-295	1	RESISTOR	10181751-295								
90	10181751-296	1	RESISTOR	10181751-296								
91	10181751-297	1	RESISTOR	10181751-297								
92	10181751-298	1	RESISTOR	10181751-298								
93	10181751-299	1	RESISTOR	10181751-299								
94	10181751-300	1	RESISTOR	10181751-300								
95	10181751-301	1	RESISTOR	10181751-301								
96	10181751-302	1	RESISTOR	10181751-302								
97	10181751-303	1	RESISTOR	10181751-303								
98	10181751-304	1	RESISTOR	10181751-304								
99	10181751-305	1	RESISTOR	10181751-305								
100	10181751-306	1	RESISTOR	10181751-306								
101	10181751-307	1	RESISTOR	10181751-307								
102	10181751-308	1	RESISTOR	10181751-308								
103	10181751-309	1	RESISTOR	10181751-309								
104	10181751-310	1	RESISTOR	10181751-310								
105	10181751-311	1	RESISTOR	10181751-311								
106	10181751-312	1	RESISTOR	10181751-312								
107	10181751-313	1	RESISTOR	10181751-313								
108	10181751-314	1	RESISTOR	10181751-314								
109	10181751-315	1	RESISTOR	10181751-315								
110	10181751-316	1	RESISTOR	10181751-316								
111	10181751-317	1	RESISTOR	10181751-317								
112	10181751-318	1	RESISTOR	10181751-318								
113	10181751-319	1	RESISTOR	10181751-319								
114	10181751-320	1	RESISTOR	10181751-320								
115	10181751-321	1	RESISTOR	10181751-321								
116	10181751-322	1	RESISTOR	10181751-322								
117	10181751-323	1	RESISTOR	10181751-323								
118	10181751-324	1	RESISTOR	10181751-324								
119	10181751-325	1	RESISTOR	10181751-325								
120	10181751-326	1	RESISTOR	10181751-326								
121	10181751-327	1	RESISTOR	10181751-327								
122	10181751-328	1	RESISTOR	10181751-328								
123	10181751-329	1	RESISTOR	10181751-329								
124	10181751-330	1	RESISTOR	10181751-330								
125	10181751-331	1	RESISTOR	10181751-331								
126	10181751-332	1	RESISTOR	10181751-332								
127	10181751-333	1	RESISTOR	10181751-333								
128	10181751-334	1	RESISTOR	10181751-334								
129	10181751-335	1	RESISTOR	10181751-335								
130	10181751-336	1	RESISTOR	10181751-336								
131	10181751-337	1	RESISTOR	10181751-337								
132	10181751-338	1	RESISTOR	10181751-338								
133	10181751-339	1	RESISTOR	10181751-339								
134	10181751-340	1	RESISTOR	10181751-340								
135	10181751-341	1	RESISTOR	10181751-341								
136	10181751-342	1	RESISTOR	10181751-342								
137	10181751-343	1	RESISTOR	10181751-343								
138	10181751-344	1	RESISTOR	10181751-344								
139	10181751-345	1	RESISTOR	10181751-345								
140	10181751-346	1	RESISTOR	10181751-346								
141	1											

## 12.1.2 Output IGESView

U.S. ARMY MATERIEL COMMAND U.S. ARMY MISSILE COMMAND REDSTONE ARSENAL, ALABAMA				PARTS LIST				PL 10677287 CODE IDENTIFICATION NO. 18876			
TITLE OSCILLATOR-VOLTAGE CONTROLLED-COMO-ASA13				USARMCOM ECP 63343		DATE 16 NOV 70 REV -		SHEET 3 OF			
PAGE NO.	PART OR IDENTIFICATION NO.	DRAWING OR SPECIFICATION NO.	NOMENCLATURE	QUANTITY	PL	SI	EFFECTIVITY*		DOR#	NOTES OR REMARKS	
							FROM	TO			
	10181751-207	10181751	RESISTOR								
	10181751-208	10181751	RESISTOR								
	10181751-209	10181751	RESISTOR								
	10181751-210	10181751	RESISTOR								
	10181751-211	10181751	RESISTOR								
	10181751-212	10181751	RESISTOR								
	10181751-213	10181751	RESISTOR								
	10181751-214	10181751	RESISTOR								
	10181751-215	10181751	RESISTOR								
2	10181752-261	10181752	RESISTOR	1							
3	10181752-357	10181752	RESISTOR	1							
4	10181751-147	10181751	RESISTOR	2							
5	10180306-239	10180306	RESISTOR	2							
6	10181751-133	10181751	RESISTOR	1							
7	10181751-166	10181751	RESISTOR	1							
8	10180328-618	10180328	RESISTOR	1							
9	10181752-283	10181752	RESISTOR	1							
10	10181752-298	10181752	RESISTOR	1							
11	10181752-306	10181752	RESISTOR	1							
12	10181752-297	10181752	RESISTOR	1							
13	10181752-289	10181752	RESISTOR	1							
14	10181752-271	10181752	RESISTOR	1							
15	10181752-310	10181752	RESISTOR	1							
16	10181751-55	10181751	RESISTOR	1							
	10181751-1	10181751	RESISTOR								
	10181751-2	10181751	RESISTOR								
	10181751-3	10181751	RESISTOR								
	10181751-4	10181751	RESISTOR								
	10181751-5	10181751	RESISTOR								
	10181751-6	10181751	RESISTOR								

## 13. Appendix E - Detailed CGM Analysis

### 13.1 File D002C002

#### 13.1.1 Parser Log

CGM/MIL-D-28003 Conformance Analyzer  
Copyright 1988-91 CGM Technology Software  
Execution Date: 06/03/93 Time: 13:42:16

Metafile Examined : i:\9356\c202.cgm

Pictures Examined : All  
Elements Examined : All  
Bytes Examined : All

===== Trace Report =====

Tracing not selected.

===== CGM Conformance Violation Report =====

No Errors Detected

===== CALS CGM Profile (MIL-D-28003) Report =====

No profile discrepancies detected.

===== Conformance Summary Report =====

CGM/MIL-D-28003 Conformance Analyzer  
Copyright 1988-91 CGM Technology Software  
Execution Date: 06/03/93 Time: 13:42:18

Name of CGM under test: i:\9356\c202.cgm  
Encoding : Binary

Pictures Examined : All  
Elements Examined : All  
Bytes Examined : All

BEGIN METAFILE string : "C002.cgm"  
METAFILE DESCRIPTION : "NORTHROP B2 ITDS GEF, MIL-D-28003/BASIC-1"

Picture 1 starts at octet offset 200; string contains: "Picture 1"

Conformance Summary : This file conforms to the CGM specification.  
This file meets the CALS CGM Profile (MIL-D-28003).

Summary of Testing Performed and Errors Found:


1 Pictures Tested  
272 Elements Tested  
3978 Octets Tested

```
=====
|   No Errors Were Detected   |
=====
```




















===== End of Conformance Report =====





















## 13.1.2 Output Harvard Graphics




















### 13.1.3 Output Cadleaf

					
(1) POLYLINE	(2) DISJOINT POLYLINE	(3) POLYMARKER	(4) TEXT	(5) RESTRICTED TEXT	(6) APPEND TEXT
					
(7) POLYGON	(8) POLYGON SET	(9) CELL ARRAY	(11) RECTANGLE	(12) CIRCLE	(13) CIRCULAR ARC 3 POI
					
(14) CIRCULAR ARC 3 POINT CLOSE	(15) CIRCULAR ARC CENTRE	(16) CIRCULAR ARC CENTRE CLOSE	(17) ELLIPSE	(18) ELLIPTICAL ARC	(19) ELLIPTICAL ARC CLOSE
LINE TYPE 				CALS TEST NETWORK MIL-D-28003 Computer Graphics Metafile File: CTN-01rd, 91-10-03	


### 13.1.4 Output cgm2draw/IslandDraw

					
) POLYLINE	(2) DISJOINT POLYLINE	(3) POLYMARKER	(4) TEXT	(5) RESTRICTED TEXT	(6) APPEND TEXT
					
) POLYGON	(8) POLYGON SET	(9) CELL ARRAY	(11) RECTANGLE	(12) CIRCLE	(13) CIRCULAR ARC 3 PC
					
4) CIRCULAR ARC 3 POINT CLOSE	(15) CIRCULAR ARC CENTRE	(16) CIRCULAR ARC CENTRE CLOSE	(17) ELLIPSE	(18) ELLIPTICAL ARC	(19) ELLIPTICAL ARC CLOSE
LINE TYPE				CALS TEST NETWORK MIL-D-28003 Computer Graphics Metafile File: CTN-01Rd, 91-10-03	

### 13.1.5 Output IslandDraw

					
POLYLINE	(2) DISJOINT POLYLINE	(3) POLYMARKER	(4) TEXT	(5) RESTRICTED TEXT	(6) APPEND TEXT
					
POLYGON	(8) POLYGON SET	(9) CELL ARRAY	(11) RECTANGLE	(12) CIRCLE	(13) CIRCULAR ARC 3 POINT
					
(14) CIRCULAR ARC 3 POINT CLOSE	(15) CIRCULAR ARC CENTRE	(16) CIRCULAR ARC CENTRE CLOSE	(17) ELLIPSE	(18) ELLIPTICAL ARC	(19) ELLIPTICAL ARC CLOSE

LINE TYPE



CALS TEST NETWORK  
MIL-D-28003  
Computer Graphics Metafile  
File: CTN-01Rd, 91-10-03